

CEE Form Switchgear

Powersafe CEE Form (IEC309) Switchgear Rated IP67

CEE is an international standard from the International Electrotechnical Commission (IEC) for "plugs, socket-outlets and couplers for industrial purposes".

IEC CEE Form is commonly used for industrial applications in most countries. As one of the largest suppliers of CEE Form in Australia, Powersafe Products offer a wide range of switchgear, including the reefer series. High quality, industrial strength, at market leading prices.

For any enquiries or to receive the full catalogue, please call 1800 338 979.



Specifications subject to change without notice, Version: January 2019.

Numerous Powersafe products are protected by either registered designs, trademarks, patents, certification or a combination of IP protection



Made Tough for Australian Conditions
1800 338 979 | sales@powersafe.net.au
www.powersafe.net.au



CEE Form Switchgear

Rated IP67, 6h Reference

Lead Plug

| Amp | Voltage | Poles | Part Number |
|-----|---------|--------|-------------|
| 16 | 240V | 2P+E | |
| 32 | 240V | 2P+E | |
| 16 | 415V | 3P+N+E | |
| 32 | 415V | 3P+N+E | |
| 63 | 415V | 3P+N+E | |
| 125 | 415V | 3P+N+E | |

Lead Socket

| Amp | Voltage | Poles | Part Number |
|-----|---------|--------|-------------|
| 16 | 240V | 2P+E | |
| 32 | 240V | 2P+E | |
| 16 | 415V | 3P+N+E | |
| 32 | 415V | 3P+N+E | |
| 63 | 415V | 3P+N+E | |
| 125 | 415V | 3P+N+E | |

Panel Mount Inlet (Plug)

| Amp | Voltage | Poles | Part Number |
|-----|---------|--------|-------------|
| 16 | 240V | 2P+E | |
| 32 | 240V | 2P+E | |
| 16 | 415V | 3P+N+E | |
| 32 | 415V | 3P+N+E | |
| 63 | 415V | 3P+N+E | |
| 125 | 415V | 3P+N+E | |



Specifications subject to change without notice, Version: January 2019.

Numerous Powersafe products are protected by either registered designs, trademarks, patents, certification or a combination of IP protection



Made Tough for Australian Conditions

1800 338 979 | sales@powersafe.net.au

www.powersafe.net.au



CEE Form Switchgear

Rated IP67, 6h Reference

Panel Mount Outlet (Socket)

| Amp | Voltage | Poles | Part Number |
|-----|---------|--------|-------------|
| 16 | 240V | 2P+E | |
| 32 | 240V | 2P+E | |
| 16 | 415V | 3P+N+E | |
| 32 | 415V | 3P+N+E | |
| 63 | 415V | 3P+N+E | |
| 125 | 415V | 3P+N+E | |



Wall Mount Inlets (Plug)

| Amp | Voltage | Poles | Part Number |
|-----|---------|--------|-------------|
| 16 | 240V | 2P+E | |
| 32 | 240V | 2P+E | |
| 16 | 415V | 3P+N+E | |
| 32 | 415V | 3P+N+E | |
| 63 | 415V | 3P+N+E | |
| 125 | 415V | 3P+N+E | |



Wall Mount Outlets (Socket)

| Amp | Voltage | Poles | Part Number |
|-----|---------|--------|-------------|
| 16 | 240V | 2P+E | |
| 32 | 240V | 2P+E | |
| 16 | 415V | 3P+N+E | |
| 32 | 415V | 3P+N+E | |
| 63 | 415V | 3P+N+E | |
| 125 | 415V | 3P+N+E | |



Specifications subject to change without notice, Version: January 2019.

Numerous Powersafe products are protected by either registered designs, trademarks, patents, certification or a combination of IP protection



Made Tough for Australian Conditions

1800 338 979 | sales@powersafe.net.au

www.powersafe.net.au



CEE Form Switchgear

Rated IP67, 6h Reference

| Switched Socket | | | |
|-----------------|---------|--------|-------------|
| Amp | Voltage | Poles | Part Number |
| 16 | 240V | 2P+E | |
| 32 | 240V | 2P+E | |
| 16 | 415V | 3P+N+E | |
| 32 | 415V | 3P+N+E | |
| 63 | 415V | 3P+N+E | |
| 125 | 415V | 3P+N+E | |



32Amp



63Amp



125Amp

Specifications subject to change without notice, Version: January 2019.

Numerous Powersafe products are protected by either registered designs, trademarks, patents, certification or a combination of IP protection



Made Tough for Australian Conditions

1800 338 979 | sales@powersafe.net.au

www.powersafe.net.au

CEE Form Switchgear

Rated IP67, 3h Reference

Reefer (Container) Products

| Description | Amp | Voltage | Poles | Part Number |
|---|-----|---------|-------|-------------|
| Container Plug (male) | 32 | 415V | 3P+E | |
| Container Socket (female) | 32 | 415V | 3P+E | |
| Container Panel mount socket (female) | 32 | 415V | 3P+E | |
| Container Switched Socket (female) | 32 | 415V | 3P+E | |
| Container Switched Socket (female) with DIN | 32 | 415V | 3P+E | |



Specifications subject to change without notice, Version: January 2019.

Numerous Powersafe products are protected by either registered designs, trademarks, patents, certification or a combination of IP protection



Made Tough for Australian Conditions
1800 338 979 | sales@powersafe.net.au
www.powersafe.net.au

